

Material Safety Data Sheet

DD955

Material Identification and Use

MANUFACTURER'S NAME.....CONTROL CHEMICAL (1989) CORPORATION
MANUFACTURER'S ADDRESS 7016 30 Street SE Calgary, Alberta, Canada, T2C 1N9
EMERGENCY PHONE NUMBER (403) 720-7044
SUPPLIER IDENTIFIER
SUPPLIER'S ADDRESS
SUPPLIER EMERGENCY PHONE NUMBER
PRODUCT IDENTIFIERDD955
PRODUCT USEDrilling Mud

Hazardous Ingredients of Materials

Chemical Identity	Concentration	CAS#/NA#/UN#	LD(50)	LC(50)
Mineral Spirits	20-40%	CAS 64742-47-8	(Oral, Rat) Over 8 ml/kg	N/E

Physical Data For Product

PHYSICAL STATE.....Liquid
ODOUR AND APPEARANCEOily smell, liquid emulsion
ODOUR THRESHOLD.....N/E
SPECIFIC GRAVITY0.98
VAPOUR PRESSUREN/E
VAPOUR DENSITY (air=1).....N/E
EVAPORATION RATE.....N/E
BOILING POINTN/E
FREEZING POINTN/E
pH7.0 - 9.0 (0.6% in distilled water)
DENSITY (g/ml)N/E
COEFFICIENT OF WATER/OIL DISTRIBUTIONN/E

Fire and Explosion Hazard of Product

CONDITIONS OF FLAMMABILITYRequires source of ignition, presense of air and temperature greater than flashpoint
MEANS OF EXTINCTIONIn case of fire use water spray, foam, dry chemical, or CO2 AVOID USE OF
WATER-SLIPPERY CONDITIONS WILL OCCUR.
FLASHPOINT AND METHOD OF DETERMINATION .70 c. (C.C.)
UPPER EXPLOSION LIMIT(% BY VOL)N/E
LOWER EXPLOSION LIMIT(% BY VOL)N/E
AUTO-IGNITION TEMPERATUREN/E

Material Safety Data Sheet

DD955

FLAMMABILITY CLASSIFICATION..... Combustible Liquid Class B-3
HAZARDOUS COMBUSTION PRODUCTS..... Oxides of carbon or nitrogen and products of incomplete combustion.
EXPLOSION DATA N/E
SENSITIVITY TO STATIC DISCHARGE Potential for fire and/or explosion when used indoors.

Reactivity Data

CHEMICAL STABILITY Stable
INCOMPATIBLE MATERIALS Avoid strong oxidizing and reducing materials.
CONDITIONS OF REACTIVITY Avoid contamination with reactive materials.
HAZARDOUS DECOMPOSITION PRODUCTS N/E

Toxicological Properties of Product

ROUTES OF ENTRY
SKIN CONTACT May cause irritation, redness, swelling or dermatitis.
SKIN ABSORPTION N/A
EYE..... Will cause painful burning or stinging of eyes and lids, watering of eyes and inflammation.
INHALATION..... N/A
INGESTION May cause nausea or vomiting.
ACUTE OVER EXPOSURE EFFECTS N/E
CHRONIC OVER EXPOSURE EFFECTS Skin irritation or dermatitis may occur upon frequent or prolonged contact.
EXPOSURE LIMITS..... Contains traces of acrylamide, TWAEV=0.03 mg/mg3 (ONT.>REG 654/86)
IRRITANCY OF PRODUCT Skin-moderate eye-moderate
SENSITIZATION TO MATERIAL..... Repeated or prolonged exposure may cause sensitization in some individuals.
CARCINOGENICITY, REPRODUCTIVE EFFECTS..... N/E
TERATOGENICITY, MUTAGENICITY N/E
TOXICOLOGICALLY SYNERGISTIC PRODUCTS..... N/E

Preventive Measures

PERSONAL PROTECTIVE EQUIPMENT Wear eye/face protection. Wear suitable gloves.
SPECIFIC ENGINEERING CONTROLS General ventilation with a good source of make-up air recommended for all indoor situations.
LEAK AND SPILL PROCEDURES..... Contain the spill, soak up with an absorbent material. Clean with an adequate solvent.
WASTE DISPOSAL..... In accordance with Municipal, Provincial and Federal regulations.
HANDLING PROCEDURES AND EQUIPMENT N/A
STORAGE REQUIREMENTS Store in a tightly sealed container.
SPECIAL SHIPPING INFORMATION None.

First Aid Measures

Material Safety Data Sheet

DD955

SPECIFIC FIRST AID PROCEDURES..... FLUSH EYES WITH WATER. RINSE CONTAMINATED SKIN WITH SOAP AND WATER. IF INGESTED, GIVE WATER. DO NOT INDUCE VOMITING. CALL A PHYSICIAN. IN CASE OF DISCOMFORT BY VAPORS OR DUSTS, MOVE TO A VENTILATED AREA.

Preparation Date of Material Safety Data Sheet

PREPARED BY..... Control Chemical (1989) Corporation
PHONE NUMBER OF PREPARER..... (403) 720-7044
DATE PREPARED January 02, 2002

The information contained herein is based on data believed to be reliable, but is presented without guarantee or warranty and Control Chemical (1989) Corporation disclaims any liability incurred from the use thereof.